Grass and Forage Science

EDITED BY O. R. JEWISS

VOLUME 51, 1996

The Journal of the British Grassland Society
published by Blackwell Science
Oxford London Edinburgh Boston
Melbourne Berlin Paris Vienna

© 1996 Blackwell Science
Osney Mead, Oxford OX2 0EL
25 John Street, London WCIN 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
238 Main Street, Boston, MA
02142, USA
54 University Street, Carlton, Victoria 3054,
Australia

Other editorial offices

Blackwell Wissenschafts-Verlag GmbH,
Kurfürstendamm 57, 10707
Berlin, Germany
Arnette Blackwell SA, 224 Boulevard St Germain,
75007 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Zehetnergasse 6,
A-1140 Wien, Austria

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $11.50 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA.Special requests should be addressed to the Editor. 0142-5242/96 $11.50

ISSN 0142-5242

Printed in Great Britain by Whitstable Litho, Whitstable, UK

Contents

NUMBER 1, MARCH 1996

J.M. ESTAVILLO, C. GONZALEZ-MURUA, G.BESGA and M. RODRIGUEZ. Effect of cow slurry N on herbage productivity, efficiency of N utilization and on white clover content in a natural sward in the Basque Country, Spain 1

R.H. MEREDITH and I.B.WARBOYS. The use of roll-conditioning and potassium carbonate (K_2CO_3) to increase the drying rate of lucerne (*Medicago sativa* L.) 8

J. FRAME and D.W. MERRILEES. The effect of tractor wheel passes on herbage production from diploid and tetraploid ryegrass swards 13

S.C. JARVIS, R.J. WILKINS and B.F. PAIN. Opportunities for reducing the environmental impact of dairy farming managements: a systems approach 21

C.A. MCKEE, A. CUSHNAHAN, C.S. MAYNE and E.F. UNSWORTH. The effect of partial replacement of grass silage with fresh grass on rumen fermentation characteristics and rumen outflow rates in cattle 32

D.R. DAVIES, R.J. MERRY and E.L. BAKEWELL. The effect of timing of slurry application on the microflora of grass, and changes occurring during silage fermentation 42

D. WILMAN and A. FISHER. Effects of interval between harvests and application of fertilizer N in spring on the growth of perennial ryegrass in a grass/white clover sward 52

G.E.J. FISHER, L.J. BAKER and G.E.D. TILEY. Herbage production from swards containing a range of grass, forb and clover species and under extensive management 58

N. TEUBER and A.S. LAIDLAW. Influence of irradiance on branch growth of white clover stolons in rejected areas within grazed swards 73

M. MERCHANT. The intake of grass and rush (*Juncus effusus* L.) by goats grazing rush-infested grass pasture 81

C, RAMMER. Quality of grass silage infected with spores of *Clostridium tyrobutyricum* 88

I. AKKHARATH, M.L. GUPTA and J.N. TULLBERG. The influence of weather on the effectiveness of mechanical and chemical conditioning on drying rate of lucerne hay 96

J.W. WARRINGA and M.J. MARINISSEN. The effect of light intensity after anthesis on dry matter distribution and seed yield of *Lolium perenne* L. 103

NUMBER 2, JUNE 1996

R.H. PHIPPS, F. ADRIAENS, D.L. HARD, G. DE KERCHOVE and R.F. WELLER. Use of bovine somatotropin for milk production: the effect of time of treatment initiation on milk production of Holstein/Friesian dairy cows placed on a high-forage, low-concentrate feeding system 111

R.P. COLLINS, M. FOTHERGILL, J.F. POTTER and I. RHODES. The use of repeated-measurements analysis to describe the overwintering of white clover cultivars 116

G.E.J. FISHER, A.M. DOWDESWELL and G. PERROTT. The effects of sward characteristics and supplement type on the herbage intake and milk production of summer-calving cows 121

T.W.J. KEADY, J.J. MURPHY and D. HARRIGTON. The effects of ensiling on dry-matter intake and milk production by lactating dairy cattle given forage as the sole feed 131

M. DEL POZO, I.A. WRIGHT, T.K. WHYTE and P.M. COLGROVE. Effects of grazing by sheep or goats on sward composition in ryegrass/white clover pasture and on subsequent performance of weaned lambs 142

T.W.J. KEADY and R.W.J. STEEN. Effects of applying a bacterial inoculant to silage immediately before feeding on silage intake, digestibility, degradability and rumen volatile fatty acid concentrations in growing beef cattle 155

R.P. COLLINS, M. FOTHERGILL and I. RHODES. Interactions between seedlings of perennial ryegrass and white clover cultivars in establishing swards 163

C. ROYO and I. ROMAGOSA. Effect of forage removal at the first detectable node stage on the growth of winter and spring triticale 170

R.F. GOODING, J. FRAME and C. THOMAS. Effects of sward type and rest periods from sheep grazing on white clover presence in perennial ryegrass/white clover associations 180

F. VOLAIRE and J.M. GANDOIN. The effect of age of the sward on the relationship between water-soluble carbohydrate accumulation and drought survival in two contrasted populations of cocksfoot (*Dactylis glomerata* L.) 190

I.A. WRIGHT, T.J. MAXWELL, A.J.F. RUSSEL, E.A. HUNTER, A.R. SIBBALD, R.A.HETHERINGTON and T.K. WHYTE. The effect of grazed sward height and stocking rate on animal performance and output from beef cow systems 199

M. HIRATA. A new technique to describe canopy characteristics of grass swards with spatial

distribution, dry-matter digestibility and dry weight of small-size canopy components 209

NUMBER 3, SEPTEMBER 1996

G.R. EDWARDS, A.J. PARSONS, J.A. NEWMAN and I.A. WRIGHT. The spatial pattern of vegetation in cut and grazed grass/white clover pastures 219

T.W.J. KEADY and J. MURPHY. Effects of inoculant treatment on ryegrass silage fermentation, digestibility, rumen fermentation, intake and performance of lactating dairy cattle 232

B. THORNTON and P. MILLARD. Nitrogen uptake by grasses: changes induced by competing neighbour plants differing in frequency of defoliation 242

C. HEPP, J.A. MILNE, A.W. ILLIUS and E. ROBERTSON. The effect of summer management of perennial ryegrass-dominant swards on plant and animal responses in the autumn when grazed by sheep. 1. Tissue turnover and sward structure 250

C. HEPP, J.A. MILNE, A.W. ILLIUS and M.M. BEATTIE. The effect of summer management of perennial ryegrass-dominant swards on plant and animal responses in the autumn when grazed by sheep. 2. Herbage intake and grazing behaviour 260

T.H. MISELBROOK, J.A. LAWS and B. PAIN. Surface application and shallow injection of cattle slurry on grassland: nitrogen losses, herbage yields and nitrogen recoveries 270

R.S. SMITH, H. BUCKINGHAM, M.J. BULLARD, R.S. SHIEL and A. YOUNGER. The conservation management of mesotrophic (meadow) grassland in northern England. 1. Effects of grazing, cutting date and fertilizer on the vegetation of a traditionally managed sward 278

R.S. SMITH, P. CORKHILL, R.S. SHIEL and D. MILLWARD. The conservation management of mesotrophic (meadow) grassland in northern England. 2. Effects of grazing, cutting date, fertilizer and seed application on the vegetation of an agriculturally improved sward 292

A. DAVIES, J. SHAO, P. BRIGNALL, R. BARDGETT, M. PARRY and C.J. POLLOCK. Specification of climatic sensitivity of forage maize to climate change 306

P.M. HAIGH, D.G. CHAPPLE and T.L. POWELL. Effect of silage additives on big-bale grass silage 318

NUMBER 4, DECEMBER 1996

P.S WIGHTMAN, M.F. FRAKLIN and D. YOUNIE. The response of mini-

swards of perennial ryegrass/ white clover to simulated rainfall following slurry application 325

H.W. ELBERSON and C.P. WEST. Growth and water relations of field-grown tall fescue as influenced by drought and endophyte 333

A. HOPKINS, T.M. MARTYN, R.H. JOHNSON, R.D. SHELDRICK and R.H. LAVENDER. Forage production by two *Lotus* species as influenced by companion grass species 343

T.W.J. KEADY and P. O'KIELY. An evaluation of the effects of rate of nitrogen fertilization of grassland on silage fermentation, in-silo losses, effluent production and aerobic stability 350

J.J. FITZGERALD. Grass silage as a basic feed for store lambs. 1. Effect of wilting, chop length and stage of maturity of grass silage on intake and performance of store lamb 363

J.J. FITZGERALD. Grass silage as a basic feed for store lambs. 2. Effect of harvesting system and chop length of grass silage on silage intake and performance of store lambs 378

J.J. FITZGERALD. Grass silage as a basic feed for store lambs. 3. Effect of barley supplementation of silages varying in chop length on silage intake and lamb performance 389

D.R. EVANTS, T.A. WILLIAMS and S.A. EVANS. Breeding and evaluation of new white clover varieties for persistency and higher yields under grazing 403

A.C. KNIGHT, J.S. PRICE and G.E. GALE. Mechanical removal of surface moistures from grass 412

D.J. MOWAT and S.CLAWSON. Oviposition and hatching of the clover weevil *Sitona lepidus* Gyll. (Coleoptera: Curculionidae)

N.H. YARROW, P.D. PENNING and R.H. JOHNSON. The effect of plane winter nutrition and sward height on the performance of steers grazing grass/white clover swards 424

R.E. ESTELL, E.L. FREDRICKSON and K.M. HAVSTAD. Chemical composition of *Flourensia cernua* at four growth stages 434

T.J. GILLILAND. Response of perennial ryegrass varieties to annual changes in sward management 442

C. ROYO and D. PARES. Yield and quality of winter and spring triticales for forage and grain 449

R.C. BINNIE, D.T. JOHNSTON and D.M.B. CHESTNUTT. The effect of a high-magnesium perennial ryegrass variety on the magnesium status of sheep 456

G.E.J. FISHER and A.M. DOWDESWELL. The effects of regrowth and

maintenance height on a grass sward with a high density of tillers 464

Author Index 470